

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 23rd August 2016



ABNT NRB 14725 requires SDS only for hazardous substances and mixtures / preparations. The Engineered Lapinus Stone fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in ABNT NRB 14725 to be as informative as possible.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Mineral Fibres according Note Q
Product code Not applicable

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Additive in composites
Uses Advised Against No Uses advised against

Details of the supplier of the safety data sheet

Name of Supplier Lapinus
ROCKWOOL B.V.
Address of Supplier Lapinus
ROCKWOOL B.V
Delfstoffenweg 2
6045 JG Roermond
Netherlands
Telephone +31 475 353 555
E-Mail (competent person) ra@lapinus.com
Lapinus
ROCKWOOL B.V
P.O. Box 1160
6040 KD Roermond
Netherlands

Emergency telephone number

Emergency Phone No. +31 475 353 555 Monday to Friday, 09:00 – 17:00 (GMT+1)
Languages spoken English

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with ABNT NRB 14725-2

Not classified as dangerous for supply/use.

Label elements

Product Name Mineral Fibres according Note Q
Hazard Pictogram(s) None assigned
Signal Word(s) None assigned
Hazard Statement(s) None assigned
Precautionary Statement(s) None assigned

Other hazards

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances Not applicable

Mixtures

ABNT NRB 14725-2

Chemical identity of the substance	Synonym(s)	CAS No.	%W/W	Hazard classification	OEL
------------------------------------	------------	---------	------	-----------------------	-----

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 23rd August 2016



ABNT NRB 14725 requires SDS only for hazardous substances and mixtures / preparations. The Engineered Lapinus Stone fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in ABNT NRB 14725 to be as informative as possible.

Man-made vitreous (silicate) fibres (MMVF) with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+B ₂ O ₃) content greater than 18 % by weight]	Roxul®1000, Rockbrake®, Rockseal®, Rockforce®, CoatForce®, LAPINUS®, RIF41001, RIF48003, ROCKWOOL®	65997-17-3*	98-100	Not classified - According to Note Q	Not established
--	--	-------------	--------	--------------------------------------	-----------------

*Generic CAS No. 65997-17-3, Specific CAS No. 287922-11-6 and 1010446-98-6. See Section 16 for details.

^ See Section: 11

This product does not contain crystalline silica

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Self-protection of the first aider

Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin, eyes or clothing.

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin Contact

IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention.

Ingestion

IF SWALLOWED: Do not induce vomiting wash out mouth with water. If symptoms occur obtain medical attention.

Most important symptoms and effects, both acute and delayed

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

Notes to a physician:

Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Non-combustible. Does not support combustion. Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Foam, water spray or fog.

Unsuitable extinguishing Media

Do not use water jet. Direct water jet may spread the fire.

Special hazards arising from the substance or mixture

None known.

Risk Management Measures

None known.

Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear suitable protective clothing. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Take off contaminated clothing and wash it before reuse. In case of

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 23rd August 2016



ABNT NRB 14725 requires SDS only for hazardous substances and mixtures / preparations. The Engineered Lapinus Stone fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in ABNT NRB 14725 to be as informative as possible.

Environmental precautions

inadequate ventilation wear respiratory protection.

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

Methods and material for containment and cleaning up

Stop leak if safe to do so. Use vacuum equipment for collecting spilt materials, where practicable. Damp down to avoid dust generation. Transfer to a lidded container for disposal or recovery. Avoid dust generation. Respiratory protection is not necessary if room is well ventilated.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Ensure suitable personal protection during removal of spillages. Good hygiene practices and housekeeping measures. Keep good industrial hygiene. Do not eat, drink or smoke at the work place.

Conditions for safe storage, including any incompatibilities

Keep only in the original container/package in a cool well-ventilated place. Keep away from food, drinks and animal food. Keep container tightly closed. Store at room temperature.

Conditions to avoid

Avoid contact with moisture. Keep away from: Humidity

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

Not established.

Biological limit value

Not established.

Exposure controls

Appropriate engineering controls

Ensure adequate ventilation. Good hygiene practices and housekeeping measures. Keep container tightly closed and dry. Store in a cool/low-temperature, well-ventilated (dry) place.

Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Ensure adequate ventilation. Keep good industrial hygiene. Contaminated clothing should be thoroughly cleaned. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/face protection



Eye Protection: Not normally required.

Recommended: Wear eye protection with side protection (EN166).

Skin protection



Hand protection:

Wear impervious gloves (EN374). Gloves should be changed if excessive exposure has occurred.

Body protection:

Wear suitable coveralls to prevent exposure to the skin. Wear work clothes with long sleeves.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. A suitable dust mask or dust respirator with filter type A/P may be appropriate.

Thermal hazards

Not applicable.

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 23rd August 2016



ABNT NRB 14725 requires SDS only for hazardous substances and mixtures / preparations. The Engineered Lapinus Stone fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in ABNT NRB 14725 to be as informative as possible.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Solid Grey / Green Fibres
Odour	Not established
Odour threshold	Not established
pH	7 - 8
Melting Point/Freezing Point	> 1000 °C
Initial boiling point and boiling range	Not established
Flash point	Not applicable
Evaporation Rate	Not established
Flammability (solid, gas)	Not flammable
Upper/lower flammability or explosive limits	Not established
Vapour pressure	Not established
Vapour density	Not established
Relative density	2.7 – 2.8 g/cm ³
Solubility(ies)	Insoluble in water.
Partition coefficient: n-octanol/water	Not established
Auto-ignition temperature	Not established
Decomposition Temperature	Not established
Viscosity	Not applicable
Other information	None

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Stable under normal conditions. Hazardous polymerisation will not occur.
Conditions to avoid	Keep away from acids and alkalis. Keep away from: Humidity
Incompatible materials	None known.
Hazardous decomposition product(s)	Carbon monoxide, Carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 5000 mg/kg bw/day.
Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 >5.0 mg/l.
Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 5000 mg/kg bw/day.
Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
Carcinogenicity	Based upon the available data, the classification criteria are not met. IARC Classification: Group 3. Not classifiable as to its carcinogenicity to humans.

EU regulations: Note Q

Data shows that the classification as a carcinogen need not apply if it can be shown that the substance fulfils one of the following conditions:

- a short term biopersistence test by inhalation has shown that the fibres longer than 20 µm have a weighted half-life less than 10 days; or
- a short term biopersistence test by intratracheal instillation has shown that the fibres longer than 20 µm

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 23rd August 2016



ABNT NRB 14725 requires SDS only for hazardous substances and mixtures / preparations. The Engineered Lapinus Stone fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in ABNT NRB 14725 to be as informative as possible.

	have a weighted half-life less than 40 days; or — an appropriate intra-peritoneal test has shown no evidence of excess carcinogenicity; or — absence of relevant pathogenicity or neoplastic changes in a suitable long term inhalation test.
Reproductive toxicity	Based upon the available data, the classification criteria are not met.
STOT - single exposure	Based upon the available data, the classification criteria are not met.
STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
Aspiration hazard	Based upon the available data, the classification criteria are not met.
Information on likely routes of exposure	
Inhalation	Possible – accidental exposure
Ingestion	Possible – accidental exposure
Skin Contact	Possible – accidental exposure
Eye Contact	Unlikely – accidental exposure
Early onset symptoms related to exposure	Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.
Delayed health effects from exposure	None known.
Exposure levels and health effects	See Section: 8
Interactive effects	None known
Other information	None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	Based upon the available data, the classification criteria are not met.
Persistence and degradability	Not readily biodegradable.
Bioaccumulative potential	Low bioaccumulation potential.
Mobility in soil	The product is predicted to have low mobility in soil. Insoluble in water.
Other adverse effects	None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	Dispose of waste according to applicable legislation. Do not discharge into drains or the environment, dispose to an authorised waste collection point. Dispose of waste cans and containers according to local regulations.
--------------------------------	---

SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

	ADR/RID	IMDG	IATA/ICAO
UN number	Not classified	Not classified	Not classified
UN proper shipping name	Not classified	Not classified	Not classified
Transport hazard class(es)	Not classified	Not classified	Not classified
Number of risk	Not classified	Not classified	Not classified
Packing group	Not classified	Not classified	Not classified
Environmental hazards	Not classified	Not classified	Not classified
Marine Pollutant	Not classified	Not classified	Not classified
Additional regulations	None known		

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental

Safety Information Sheet

Version: 2.0

Date of Issue: 8th July 2019

Date of First Issue: 23rd August 2016



ABNT NRB 14725 requires SDS only for hazardous substances and mixtures / preparations. The Engineered Lapinus Stone fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in ABNT NRB 14725 to be as informative as possible.

regulations/legislation specific for the substance or mixture

National regulations

Not listed

Non-Regional

Note Q Fibres- IARC Classification: Group 3.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: V2.0

Sections indicated with the following have been revised

Date of Issue: 8th July 2019

Date of First Issue: 23rd August 2016

References:

Existing Safety Data Sheet (SDS).

EU: Existing ECHA registration(s) for Glass, oxide, chemicals (CAS No. 65997-17-3).

The CAS number under which the Note Q fibres fall is 65997-17-3. Under this number the fibres are registered in the chemical registry systems in most countries in the world. This CAS number however is very broad. The specific chemistry of the bio-soluble fibre has been laid down in the CAS number 287922-11-6 and 1010446-98-6 and can be tracked in the CAS Registry System only.

LEGEND

LTEL: Long Term Exposure Limit

DNEL: Derived No Effect Level

PBT: PBT: Persistent, Bioaccumulative and Toxic

IARC: International Agency for Research on Cancer

TLV: Threshold Limit Value (ACGIH)

EU: European Union

STEL: Short Term Exposure Limit

PNEC: Predicted No Effect Concentration

vPvB: very Persistent and very Bioaccumulative

BEI: Biological Exposure Indices (ACGIH)

TWA: Time Weighted Average

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Lapinus (Rockwool B.V.) gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Lapinus (Rockwool B.V.) accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.