Version: 1.0

Date of Issue: 30/06/2022 Date of First Issue: 30/06/2022



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200) Appendicies A and B requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in OSHA HCS 1910. 1200 to be as informative as possible.

SECTION 1: IDENTIFICATION

Product identifier

Product Name Secondary coated fibres

Other Means of Identification Roxul®1000, Rockbrake®, Rockseal®, Rockforce®, Lapinus®,

RIF41001, RIF48003, ROCKWOOL®, RB210, RB205

Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Additive in composites
Uses Advised Against No Uses advised against

Details of the supplier of the safety data sheet

Supplier Lapinus Lapinus Lapinus

ROCKWOOL B.V
Delfstoffenweg 2
P.O. Box 1160
6045 JG Roermond
Netherlands
Netherlands
Netherlands

Telephone +31 475 353 555
E-Mail (competent person) ra@lapinus.com

Emergency telephone number

Emergency Phone No. +31 475 353 555 Monday to Friday, 09:00 – 17:00 (GMT +1)

Languages spoken English

SECTION 2: HAZARD(S) IDENTIFICATION

Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200

Physical hazards Not classified Health hazards Not classified Environmental hazards Not classified Not classified

Label elements

Hazard Pictogram(s)

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s)

None assigned
None assigned
None assigned

Other hazards Handling of this material may generate a dust which can cause mechanical

irritation of the eyes, skin nose and throat.

Percent of the mixture consists of ingredient(s) of

unknown acute toxicity:

0% of the mixture consists of ingredients of unknown acute inhalated toxicity.
0% of the mixture consists of ingredients of unknown acute oral toxicity.

0% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not applicable

Mixtures Substances in preparations / mixtures

Classification: OSHA HCS (29 CFR 1910.1200)

Version: 1.0

Date of Issue: 30/06/2022 Date of First Issue: 30/06/2022



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200) Appendicies A and B requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in OSHA HCS 1910. 1200 to be as informative as possible.

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard classification
Man-made vitreous (silicate) fibres (MMVF) with random orientation with alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content greater than 18 % by weight]	92-100	Roxul®1000, Rockbrake®, Rockseal®, Rockforce®, Lapinus®, RIF41001, RIF48003, ROCKWOOL®, RB210, RB205	65997-17-3*	Not classified - According to Note Q (EU)

^{*} Generic CAS No. 65997-17-3, Specific CAS No. 287922-11-6, Specific CAS No. 1010446-98-6. See Section 16 for details. This product does not contain crystalline silica.

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Self-protection of the first aider

Inhalation

Skin Contact

Eye Contact

Ingestion

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

blistering) develops, get medical attention.

clothing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain

Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin, eyes or

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel

IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash,

medical attention.

IF SWALLOWED: Do not induce vomiting wash out mouth with water. If symptoms occur obtain medical attention.

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Non-combustible. Does not support combustion. Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Foam, water spray or fog.

Unsuitable extinguishing Media

Special hazards arising from the substance or mixture

Advice for fire-fighters

Do not use water jet. Direct water jet may spread the fire.

None known.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Wear suitable protective clothing. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Ensure

Version: 1.0

Date of Issue: 30/06/2022 Date of First Issue: 30/06/2022



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200) Appendicies A and B requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in OSHA HCS 1910. 1200 to be as

informative as possible.

adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Take off contaminated clothing and wash it before reuse. In case of inadequate ventilation wear respiratory protection.

Methods and material for containment and cleaning

Stop leak if safe to do so. Use vacuum equipment for collecting spilt materials, where practicable. Damp down to avoid dust generation. Transfer to a lidded container for disposal or recovery. Avoid dust generation. Respiratory protection is not necessary if room is well ventilated.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Ensure suitable personal protection during removal of spillages. Good hygiene practices and housekeeping measures. Keep good industrial hygiene. Do not eat, drink or smoke at the work place.

Conditions for safe storage, including any incompatibilities

Storage temperature Incompatible materials

Keep only in the original container/package in a cool well-ventilated place. Keep away from food, drinks and animal food. Keep container tightly closed.

Store at room temperature.

Avoid contact with moisture. Keep away from: Humidity

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

SUBSTANCE	CAS No.	mppcf	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	Note
Inert or Nuisance Dust	-	15	-	15	OSHA (total)
		50	-	5	OSHA (respirable)
		=	=	5	NIOSH (total)
Graphite (Natural)	7782-42-5	15		-	OSHA (total)
		=	-	2.5	NIOSH (respirable)
		-	-	2 (all forms except fibres)	ACGIH

Source: OSHA Permissible Exposure Limit (PEL): Occupational Safety and Health Standards, 1910.1000 TABLE Z-3

NIOSH: National Institute for Occupational Safety and Health (NIOSH) Recommended exposure limits (RELs)

ACGIH: American Conference of Governmental Industrial Hygienists - Threshold limit values (TLV) 2021

Notes:

Mppcf: Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques.

Conversion factors - mppcf X 35.3 = million particles per cubic meter = particles per c.c.

Biological exposure indicies Not established.

Appropriate engineering controls Ensure adequate ventilation. Good hygiene practices and housekeeping

measures. Keep container tightly closed and dry. Store in a cool/low-temperature,

well-ventilated (dry) place.

Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Ensure adequate ventilation. Keep good industrial hygiene. Contaminated clothing should be thoroughly cleaned. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous

Version: 1.0

Date of Issue: 30/06/2022 Date of First Issue: 30/06/2022



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200) Appendicies A and B requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in OSHA HCS 1910. 1200 to be as informative as possible.

substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/face protection



Use eye protection according to EN 166, designed to protect against liquid splashes.

Skin protection



Hand protection:

Wear impervious gloves (EN374). Gloves should be changed if excessive exposure has occurred.

Body protection:

Wear suitable coveralls to prevent exposure to the skin. Wear work clothes with long sleeves.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. A suitable dust mask or dust respirator with filter type A/P may be appropriate.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Solid white or black fibres

Odor Not established Odor Threshold Not established Not established Melting Point/Freezing Point > 1000 °C Initial boiling point and boiling range Not established Flash Point Not established **Evaporation Rate** Not established Flammability (solid, gas) Not established Upper/lower flammability or explosive limits Not established Vapour pressure Not established Vapour density Not established Relative density 2.6 - 2.7

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity

Insoluble in water.

Not established

Not established

Not established

Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity
Chemical stability

Possibility of hazardous reactions

Stable under normal conditions Stable under normal conditions

None anticipated. Product is not classified as flammable, but will burn on contact with flame or exposure to high temperature. Hazardous polymerisation will not occur.

Page: 4 of 7

Version: 1.0

Date of Issue: 30/06/2022 Date of First Issue: 30/06/2022

Lapinus°

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200) Appendicies A and B requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in OSHA HCS 1910. 1200 to be as

informative as possible.

Conditions to avoid Keep away from fire, sparks and heated surfaces. Take precautionary measures

against static discharge.

Incompatible materials None known.

Hazardous decomposition product(s) Carbon monoxide, Carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity - Ingestion

Acute toxicity - Skin Contact

Acute toxicity - Inhalation

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization

Germ cell mutagenicity

Reproductive toxicity

Aspiration hazard

STOT - single exposure

STOT - repeated exposure

Carcinogenicity

Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) > 5 mg/l

Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. IARC Classification: Group 3. Not classifiable as to its carcinogenicity to humans.

Note Q Regulations (EU)

Data shows that the classification as a carcinogen need not apply if it can be shown that the substance fulfils one of the following conditions:

— a short term biopersistence test by inhalation has shown that the fibres longer than 20 μm have a

weighted half-life less than 10 days; or

— a short term biopersistence test by intratracheal instillation has shown that the fibres longer than 20 μm

have a weighted half-life less than 40 days; or

— an appropriate intra-peritoneal test has shown no evidence of excess carcinogenicity; or

absence of relevant pathogenicity or neoplastic changes in a suitable long

term inhalation test.

Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met.

Information on likely routes of exposure

InhalationPossible – accidental exposureIngestionPossible – accidental exposureSkin ContactPossible – accidental exposureEye ContactUnlikely – accidental exposure

Early onset symptoms related to exposure

Handling of this material may generate a dust which can cause mechanical

irritation of the eyes, skin nose and throat.

Delayed health effects from exposure None known.

Exposure levels and health effectsSee Section: 8

Interactive effects None known

Version: 1.0

Date of Issue: 30/06/2022 Date of First Issue: 30/06/2022

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200) Appendicies A and B requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in OSHA HCS 1910. 1200 to be as

informative as possible.

Other information

OSHA Designated Carcinogen Not listed NIOSH Occupational Carcinogen List Not listed

NTP Report on Carcinogens Note Q fibres (Specific CAS. 287922-11-6) IARC Monographs Note Q fibres - IARC Classification: Group 3.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity Based upon the available data, the classification criteria are not met.

Persistence and degradability Not readily biodegradable. Bioaccumulative potential Low bioaccumulation potential.

Mobility in soil The product is predicted to have low mobility in soil. Insoluble in water.

Other adverse effects Not classified as PBT or vPvB.

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Dispose of waste according to applicable legislation. Do not discharge into drains

or the environment, dispose to an authorised waste collection point. Dispose of

Lapinus

waste cans and containers according to local regulations.

SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

Road/Rail (ADR/RID) Sea transport (IMDG) Air (ICAO/IATA) **UN** number Not classified Not classified Not classified **UN proper shipping name** Not classified Not classified Not classified Transport hazard class(es) Not classified Not classified Not classified Packing group Not classified Not classified Not classified **Environmental hazards** Not classified Not classified as a Not classified

Marine Pollutant.

See Section: 2 Special precautions for user Transport in bulk according to Annex II of MARPOL Not applicable

73/78 and the IBC Code

Additional Information None

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations

TSCA Chemical Data Reporting (CDR) Rule Note Q Fibres (Subject to 25,000lb reporting threshold)

US State Regulations None known

Non-Regional

IARC Monographs Note Q fibres - IARC Classification: Group 3.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable – V1.0

Version **Revision Date** 30/06/2022

Version: 1.0

Date of Issue: 30/06/2022 Date of First Issue: 30/06/2022



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

OSHA HCS (29 CFR 1910.1200) Appendicies A and B requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in OSHA HCS 1910. 1200 to be as informative as possible.

Date of First Issue 30/06/2022

This Safety Data Sheet was prepared in accordance with US Regulation OSHA HCS (29 CFR 1910.1200)

References:

Existing Safety Data Sheet (SDS).

EU: Existing ECHA registration(s) for Glass, oxide, chemicals (CAS No. 65997-17-3).

The CAS number under which the Note Q fibres fall is 65997-17-3. Under this number the fibres are registered in the chemical registry systems in most countries in the world. This CAS number however is very broad. The specific chemistry of the bio-soluble fibre has been laid down in the CAS number 287922-11-6 and 1010446-98-6 and can be tracked in the CAS Registry System only.

The mixture is not classified in accordance with OSHA HCS (29 CFR 1910.1200)

LEGEND

ADR/RID ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road / RID: Regulations concerning

the international railway transport of dangerous goods

CAS CAS: Chemical Abstracts Service

DNEL Derived No Effect Level EC EC: European Community

EU European Union

IATA: International Air Transport Association

ICAO/IATA ICAO: International Civil Aviation Organization / IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted No Effect Concentration

UN United Nations

vPvB very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Lapinus (Rockwool B.V) gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Lapinus (Rockwool B.V) accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 7 of 7