Version 1.1

Date of Issue 23/08/2022 Date of First Issue 17/06/2019



In accordance with B.E.2555 (2012)

B.E.2555 (2012) requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres according to Note Q fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in (B.E.2555 (2012) to be as informative as possible.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

GHS Product Identifier Secondary coated fibres

Other means of identification

Product code Roxul®1000, Rockbrake®, Rockseal®, Rockforce®, Lapinus®,

RIF41001, RIF48003, ROCKWOOL®, RB210, RB205

CAS No. Not applicable - Article EINECS No. Not applicable - Article

Recommended use of the chemical and restrictions

on use

Recommended use Additive in composites

Restrictions on use Anything other than the above.

Details of the supplier of the safety data sheet

Company Name ROCKWOOL B.V

Address Delfstoffenweg 2 P.O. Box 1160 6045 JG Roermond 6040 KD Roermond

Netherlands Netherlands

Telephone +31 475 353 555
E-Mail (competent person) ra@lapinus.com

Emergency telephone number

Emergency Phone No. +31 475 353 555 Monday to Friday 09:00 – 17:00 (GMT

+1)

Languages spoken English

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

In accordance with B.E.2555 (2012) Not classified as hazardous for supply/use.

GHS label elements, including precautionary

statements

Product Name Secondary coated fibres

Hazard Pictogram(s)

None assigned

Signal Word(s) None assigned

Hazard Statement(s)

None assigned

Precautionary Statement(s)

None assigned

Other hazards Handling of this material may generate a dust which can cause mechanical

irritation of the eyes, skin nose and throat.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances - Not applicable

Mixtures

Page: 1 of 6

Version 1.1

Date of Issue 23/08/2022 Date of First Issue 17/06/2019



In accordance with B.E.2555 (2012)

B.E.2555 (2012) requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres according to Note Q fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in (B.E.2555 (2012) to be as informative as possible.

Chemical identity of the substance	%W/W	CAS No.	Hazard classification
Man-made vitreous (silicate) fibres			
(MMVF) with random orientation with			
alkaline oxide and alkali earth oxide	92 -100	65997-17-3*	Not classified - According to Note Q^ (EU)
(Na2O+K2O+CaO+MgO+BaO) content			
greater than 18 % by weight]			

No other components or impurities which will influence the classification of the product

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in

a position comfortable for breathing. Get medical advice/attention if you feel

unwell. Give plenty of water to drink.

Skin Contact IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash,

blistering) develops, get medical attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

> lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention. If irritation occurs, do not rub or scratch, rinse under running

water prior to washing thoroughly with water.

Ingestion IF SWALLOWED: Do not induce vomiting wash out mouth with water. If

symptoms occur obtain medical attention.

Most important symptoms and effects, both acute

and delayed

Indication of any immediate medical attention and

special treatment needed

Handling of this material may generate a dust which can cause mechanical

irritation of the eyes, skin nose and throat.

Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Non-combustible. Does not support combustion. Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Foam, water

spray or fog.

Unsuitable extinguishing Media

Do not use water jet. Direct water jet may spread the fire. None known.

Specific hazards arising from the chemical Special protective equipment and precautions for

fire fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Take off contaminated clothing and wash it before reuse. In case of inadequate ventilation wear respiratory protection.

^{*}Generic CAS No. 65997-17-3. Substance CAS No. 287922-11-6 and 1010446-98-6. See Section 16 for details.

[^] See Section: 11

This product does not contain crystalline silica

Version 1.1

Date of Issue 23/08/2022 Date of First Issue 17/06/2019



In accordance with B.E.2555 (2012)

B.E.2555 (2012) requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres according to Note Q fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in (B.E.2555 (2012) to be as informative as possible.

Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

Methods and material for containment and cleaning

Stop leak if safe to do so. Use vacuum equipment for collecting spilt materials, where practicable. Damp down to avoid dust generation. Transfer to a lidded container for disposal or recovery. Avoid dust generation. Respiratory protection is not necessary if room is well ventilated.

SECTION 7: HANDLING AND STORAGE

incompatibilities

Storage temperature

Incompatible materials

Precautions for safe handling and storage Ensure operatives are trained to minimise exposures. Ensure adequate

ventilation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Ensure suitable personal protection during removal of spillages. Good hygiene practices and housekeeping measures. Keep good industrial hygiene. Do not eat, drink or smoke at the work place.. Keep only in the original container/package in a cool well-ventilated place. Keep

away from food, drinks and animal food. Keep container tightly closed.

Store at room temperature.

Avoid contact with moisture. Keep away from: Humidity

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Conditions for safe storage, including any

Control parameters Refer to member state guidelines and legislation

Occupational Exposure Limits Workplace exposure limit (WEL) must not be exceeded (total respirable, 8-hour

time weighted averages) .The air concentration of inhalable fibres will be under

normal working conditions less than 0,5 per cm3.

Biological limit value Not established

Appropriate engineering controls Ensure adequate ventilation Store in a cool/low-temperature, well-ventilated

(dry) place away from heat and ignition sources.

Individual protection measures, such as personal

protective equipment (PPE)

Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes or clothing. Do not eat, drink

or smoke at the work place.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/face protection

Use eye protection according to EN 166, designed to protect against liquid splashes.

Skin protection



Wear suitable chemical resistant protective gloves for frequent or prolonged operations tested to EN374 with an acceptable permeation test. Contaminated gloves should be carefully rinsed with water before reuse.

Respiratory protection



Respiratory protection is not necessary if room is well ventilated. In case of inadequate ventilation wear respiratory protection.

Version 1.1

Date of Issue 23/08/2022 Date of First Issue 17/06/2019

Lapinus

In accordance with B.E.2555 (2012)

B.E.2555 (2012) requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres according to Note Q fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in (B.E.2555 (2012) to be as informative as possible.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Solid white or black fibres

Odour Not established Odour Threshold Not established Not established Melting Point/Freezing Point > 1000 °C Initial boiling point and boiling range Not established Flash point Not established **Evaporation Rate** Not applicable Flammability (solid, gas) Not established Upper/lower flammability or explosive limits Not flammable Vapour pressure Not established Vapour density Not established Relative density 2.7 - 2.8Solubility(ies) Insoluble in water.

Partition coefficient: n-octanol/water Not established Auto-ignition temperature Not established Decomposition Temperature Not established Viscosity Not applicable

SECTION 10: STABILITY AND REACTIVITY

 Reactivity
 Stable under normal conditions

 Chemical stability
 Stable under normal conditions

Possibility of hazardous reactions None anticipated. Not flammable. Hazardous polymerisation will not occur.

Conditions to avoid Keep away from: Acids, Alkalis, humidity

Incompatible materials Avoid contact with moisture. Keep away from: Humidity

Hazardous decomposition product(s) Carbon monoxide, Carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

 Inhalation
 Possible – accidental exposure

 Ingestion
 Possible – accidental exposure

 Skin Contact
 Possible – accidental exposure

 Eye Contact
 Unlikely – accidental exposure

Symptoms related to the physical, chemical and toxicological characteristics

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

Delayed and immediate effects and also chronic affects from short and long term exposure

No information available.

Numerical measures of toxicity (such as acute

toxicity estimates)

No information available.

Acute toxicity - Ingestion

Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >2.000 mg/kg.

Acute toxicity - Skin Contact

 $\label{eq:mixture:Based upon the available data, the classification criteria are not met. \\$

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Acute toxicity - Inhalation Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) > 5 mg/l

Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity

Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met.

Mixture: Based upon the available data, the classification criteria are not met.

Version 1.1

Date of Issue 23/08/2022 Date of First Issue 17/06/2019



In accordance with B.E.2555 (2012)

B.E.2555 (2012) requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres according to Note Q fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in (B.E.2555 (2012) to be as informative as possible.

Carcinogenicity

Mixture: Based upon the available data, the classification criteria are not met. IARC Classification: Group 3. Not classifiable as to its carcinogenicity to humans.

EU regulations Note Q:

Data shows that the classification as a carcinogen need not apply if it can be shown that the substance fulfils one of the following conditions:

— a short term biopersistence test by inhalation has shown that the fibres longer than 20 μm have a

weighted half-life less than 10 days; or

— a short term biopersistence test by intratracheal instillation has shown that the fibres longer than 20 μm

have a weighted half-life less than 40 days; or

— an appropriate intra-peritoneal test has shown no evidence of excess carcinogenicity; or

— absence of relevant pathogenicity or neoplastic changes in a suitable long term inhalation test.

Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability Bioaccumulative potential Mobility in soil

Mobility in soil
Other adverse effects

Mixture: Based upon the available data, the classification criteria are not met.

Not readily biodegradable Low bioaccumulative potential

The product is predicted to have low mobility in soil. Insoluble in water

None Known

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

UN number None assigned None assigned None assigned **UN proper shipping name** None assigned None assigned None assigned Transport hazard class(es) None assigned None assigned None assigned Packing group None assigned None assigned None assigned Not classified as a Marine pollutant Not classified Not classified

ADR/RID

Marine Pollutant.

IMDG

No information available. No information available. No information available.

IATA/ICAO

Special precautions for users See Section: 2

SECTION 15: REGULATORY INFORMATION

MARPOL73/78 and the IBC Code

Safety, health and environmental regulations/legislation specific for the substance or

Transport in bulk according to Annex II of

mixture

Thailand Existing Chemicals Inventory

HSCA - Hazardous Substances

Thailand - RoHS Non-Regional All chemicals are not listed

Not applicable

Page: 5 of 6

Version 1.1

Date of Issue 23/08/2022 Date of First Issue 17/06/2019



In accordance with B.E.2555 (2012)

B.E.2555 (2012) requires SDS only for hazardous substances and mixtures / preparations. Secondary coated fibres according to Note Q fibre has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in (B.E.2555 (2012) to be as informative as possible.

IARC Monographs

Note Q fibres - IARC Classification: Group 3.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: V1.1 - New Template

This safety data sheet was compiled in accordance with B.E.2555 (2012)

References:

Existing Safety Data Sheet (SDS).

EU: Existing ECHA registration(s) for Glass, oxide, chemicals (CAS No. 65997-17-3).

The CAS number under which the Note Q fibres fall is 65997-17-3. Under this number the fibres are registered in the chemical registry systems in most countries in the world. This CAS number however is very broad. The specific chemistry of the bio-soluble fibre has been laid down in the CAS number 287922-11-6 and 1010446-98-6 and can be tracked in the CAS Registry System only.

LEGEND

ADR ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL Derived no effect level

IATA IATA: International Air Transport Association
ICAO ICAO: International Civil Aviation Organization
IMDG IMDG: International Maritime Dangerous Goods

LTEL Long term exposure limit

PBT PBT: Persistent, Bioaccumulative and Toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL Short term exposure limit

vPvB vPvB: very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Lapinus (Rockwool B.V.) gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Lapinus (Rockwool B.V.) accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 6 of 6