Date of issue: 23/08/2022 Date of First Issue: 08/07/2019 Version: 2.1 SDS Code: Lapinus072022



In accordance with: GB/T 16483-2008 and GB/T 17519-2013

GB/T 16483-2008 and GB/T 17519-2013 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in GB/T 16483-2008 and GB/T 17519-2013 to be as informative as possible.

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product identifier Product name	Mineral Fibres according Note Q	
Recommended use of the chemical and restrictions		
on use		
Identified uses	Additive in composites	
Uses advised against	No Uses advised against	
Details of the supplier of the safety data sheet		
Name of Supplier	ROCKWOOL B.V	
Address of Supplier	ROCKWOOL B.V	ROCKWOOL B.V
	Delfstoffenweg 2	P.O. Box 1160
	6045 JG Roermond	6040 KD Roermond
	Netherlands	Netherlands
Telephone	+31 475 353 555	
E-mail	ra@lapinus.com	
Emergency telephone number		
Emergency Phone No.	+31 475 353 555	Monday to Friday, 09:00 – 17:00 (GMT +1)

SECTION 2: HAZARD OVERVIEW

Emergency overview

Grey/ Green Solid fibres. Not flammable.Not classified as hazardous for supply/use. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

Classification of the substance or mixture In accordance with: GB 13690-2009 and GB 30000- 2013	Not classified as hazardous for supply/use.
Label elements	
Product name	Mineral Fibres according Note Q
Hazard Pictogram(s)	None assigned
Signal Word(s)	None assigned
Hazard Statement(s)	None assigned
Precautionary Statement(s)	
Prevention	None assigned
Response	None assigned
Storage	None assigned
Disposal	None assigned
Other hazards	Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.
Main Symptoms	None Known

Date of issue: 23/08/2022 Date of First Issue: 08/07/2019 Version: 2.1 SDS Code: Lapinus072022



In accordance with: GB/T 16483-2008 and GB/T 17519-2013

GB/T 16483-2008 and GB/T 17519-2013 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in GB/T 16483-2008 and GB/T 17519-2013 to be as informative as possible.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances - Not applicable

Mixtures Substances in preparations / mixtures

GHS Classification GB 30000-2013

Chemical identity of the substance	通用名	浓度或浓度范围	CAS No.	EC No.	Hazard classification
Man-made vitreous (silicate) fibres (MMVF) with random orientation with alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content greater than 18 % by weight]	Glass,oxide,chemicals	98 -100	65997-17-3*	-	Not classified - According to Note Q^ (EU)

No other components or impurities which will influence the classification of the product

SECTION 4: FIRST AID MEASURES



Description of first aid measures	
Self-protection of the first aider	
Inhalation	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. Give plenty of water to drink.
Skin contact	IF ON SKIN (or hair): Wash with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention. If irritation occurs, do not rub or scratch, rinse under running water prior to washing thoroughly with water.
Ingestion	IF SWALLOWED: Do not induce vomiting wash out mouth with water. If symptoms occur obtain medical attention.
Most important symptoms and effects, both acute and delayed	Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin, eyes or clothing.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media Suitable extinguishing media

Unsuitable extinguishing media Special hazards arising from the substance or mixture Non-combustible. Does not support combustion. Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Foam, water spray or fog.

Do not use water jet. Direct water jet may spread the fire. None known.

Date of issue: 23/08/2022 Date of First Issue: 08/07/2019 Version: 2.1 SDS Code: Lapinus072022



In accordance with: GB/T 16483-2008 and GB/T 17519-2013

GB/T 16483-2008 and GB/T 17519-2013 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in GB/T 16483-2008 and GB/T 17519-2013 to be as informative as possible.

Special protective equipment and precautions for
fire fightersFire fighters should wear complete protective clothing including self-contained
breathing apparatus. Do not breathe fumes. Keep containers cool by spraying
with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Wear suitable protective clothing. Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Take off contaminated clothing and wash it before reuse. In case of inadequate ventilation wear respiratory protection.
Environmental precautions	Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.
Methods and material for containment and cleaning up	Stop leak if safe to do so. Use vacuum equipment for collecting spilt materials, where practicable. Damp down to avoid dust generation. Transfer to a lidded container for disposal or recovery. Avoid dust generation. Respiratory protection is not necessary if room is well ventilated.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Ensure suitable personal protection during removal of spillages. Good hygiene practices and housekeeping measures. Keep good industrial hygiene. Do not eat, drink or smoke at the work place.

Conditions for safe storage, including any incompatibilities Storage temperature Storage life Incompatible materials Keep only in the original container/package in a cool well-ventilated place. Keep away from food, drinks and animal food. Keep container tightly closed. Store at room temperature. Minimum 2 years

Avoid contact with moisture. Keep away from: Humidity

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

		PC-TWA(mg/m ³)		临界不良健康效应		
SUBSTANCE	CAS No.	MAC	总尘	呼 尘		Note
Man-made mineral fiber insulation cotton (Fibrous glass, Slag wool, Rock wool) dust 人造矿物纤维绝热棉 粉尘(玻璃棉、矿渣	-	-	5 1f/mL	-	质量浓度:皮 肤 和眼刺激 纤维浓度:呼吸道不良健康效应	-
棉、岩棉)						

Source: GBZ 2-2019

Biological Exposure Indices

Not established

Appropriate engineering controls

Ensure adequate ventilation Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources.

Date of issue: 23/08/2022 Date of First Issue: 08/07/2019 Version: 2.1 SDS Code: Lapinus072022



In accordance with: GB/T 16483-2008 and GB/T 17519-2013

GB/T 16483-2008 and GB/T 17519-2013 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in GB/T 16483-2008 and GB/T 17519-2013 to be as informative as possible.

Individual protection measures, such as personal protective equipment

Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke at the work place.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.



Use eye protection according to EN 166, designed to protect against liquid splashes.

Skin protection



Wear suitable chemical resistant protective gloves for frequent or prolonged operations tested to EN374 with an acceptable permeation test. Contaminated gloves should be carefully rinsed with water before reuse.

Respiratory protection



Respiratory protection is not necessary if room is well ventilated. In case of inadequate ventilation wear respiratory protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance Odour pH (Concentration) Melting point/freezing point Initial boiling point and boiling range (°C) Flash point (°C) Upper/lower flammability or explosive limits Vapour Pressure (mm Hg) Vapour Density (Air=1) Relative density Solubility(ies) Partition Coefficient (n-Octanol/water) Auto Ignition Point (°C) Decomposition Temperature (°C)

Additional properties

Viscosity (mPa. s) Evaporation rate Explosive properties Oxidising properties Not established 7 - 8 > 1000 °C Not established Not established Not applicable Not established Not established 2.7 - 2.8 Insoluble in water. Not established Not established Not established Not established

Solid Grey / Green Fibres

Not applicable Not applicable Not explosive Not oxidising

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Stable under normal conditions Stable under normal conditions None anticipated. Not flammable . Hazardous polymerisation will not occur. Keep away from: Acids, Alkalis, humidity Avoid contact with moisture. Keep away from: Humidity

Date of issue: 23/08/2022 Date of First Issue: 08/07/2019 Version: 2.1 SDS Code: Lapinus072022



In accordance with: GB/T 16483-2008 and GB/T 17519-2013

GB/T 16483-2008 and GB/T 17519-2013 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in GB/T 16483-2008 and GB/T 17519-2013 to be as informative as possible.

Hazardous decomposition products	Carbon monoxide, Carbon dioxide
SECTION 11: TOXICOLOGICAL INFORMATION	
Information on toxicological effects (Substances in p	reparations / mixtures)
Acute toxicity - Ingestion	Mixture: Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: LD50 >2000 mg/kg bw
Acute toxicity - Inhalation	Mixture: Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: LC50 >5 mg/l (Dust/Mist)
Acute toxicity - Skin contact	Mixture: Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: LD50 >2000 mg/kg bw
Skin corrosion/irritation	Mixture: Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. EU regulations Note Q: Data shows that the classification as a carcinogen need not apply if it can be shown that the substance fulfils one of the following conditions: a short term biopersistence test by inhalation has shown that the fibres longer than 20 µm have a weighted half-life less than 10 days; or a short term biopersistence test by intratracheal instillation has shown that the fibres longer than 20 µm have a weighted half-life less than 40 days; or an appropriate intra-peritoneal test has shown no evidence of excess
	carcinogenicity; or — absence of relevant pathogenicity or neoplastic changes in a suitable long term inhalation test.
Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard Other information	Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. Mixture: Based upon the available data, the classification criteria are not met. None Known

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects Mixture: Based upon the available data, the classification criteria are not met. Estimated LC50 (Mixture): >100 mg/l. Not readily biodegradable Low bioaccumulation potential. The product is predicted to have low mobility in soil. Insoluble in water None Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Packaging waste Disposal should be in accordance with local, state or national legislation. Dispose of empty containers and wastes safely. Dispose of this container to hazardous or special waste collection point.

SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

Date of issue: 23/08/2022 Date of First Issue: 08/07/2019 Version: 2.1 SDS Code: Lapinus072022



In accordance with: GB/T 16483-2008 and GB/T 17519-2013

GB/T 16483-2008 and GB/T 17519-2013 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in GB/T 16483-2008 and GB/T 17519-2013 to be as informative as possible.

UN number
UN proper shipping name
Transport hazard class(es)
Packing group
Environmental hazards

Special precautions for user Transport in bulk according to Annex II of Marpol and the IBC Code

ADR/RID/ JT/T 617-2018/陆运

Not applicable Not applicable Not applicable Not applicable Not classified

See Section: 2 Not applicable Not applicable Not applicable Not applicable Not applicable Not classified as a

Marine Pollutant.

IMDG/海运

ICAO/IATA/空运

Not applicable Not applicable Not applicable Not applicable Not classified

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	
Catalogue of Hazardous Chemicals	All chemicals are not listed
Catalogue of Toxic Chemicals Restricted to be Imported/Exported	All chemicals are not listed
Catalogue of Prohibited Chemicals	All chemicals are not listed
List of Priority Chemicals for Prevention and Control Inventory of Existing Chemical Substances in China (IECSC)	All chemicals are not listed
	玻璃棉- listed
	妥尔油脂肪酸与 N-羟乙基乙二胺的反应产物 - listed
	水 - listed
	5-氯-2-甲基-3(2H)异噻唑酮、2-甲基 3(2H)异噻唑酮混合物- listed 2013

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: V2.1 - Updated version and date

References: Existing Safety Data Sheet (SDS), Existing ECHA registration for Glass, oxide, chemicals (CAS No. 65997-17-3).

Legend	
ADR	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
IATA	IATA: International Air Transport Association
ICAO	ICAO: International Civil Aviation Organization
IMDG	IMDG: International Maritime Dangerous Goods
LTEL	Long term exposure limit
PBT	PBT: Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	RID: Regulations concerning the international railway transport of dangerous goods
STEL	Short term exposure limit
vPvB	vPvB: very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Lapinus (Rockwool B.V.) gives no warranty as to the fitness of

Date of issue: 23/08/2022 Date of First Issue: 08/07/2019 Version: 2.1 SDS Code: Lapinus072022



In accordance with: GB/T 16483-2008 and GB/T 17519-2013

GB/T 16483-2008 and GB/T 17519-2013 requires SDS only for hazardous substances and mixtures / preparations. The Mineral fibre according Note Q has been defined as non-hazardous. The Safety Information Sheet has been made up to the rules in GB/T 16483-2008 and GB/T 17519-2013 to be as informative as possible.

the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Lapinus (Rockwool B.V.) accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.